10

15

20

25

30

WHAT IS CLAIMED IS:

A process for the preparation of acetic acid and/or methyl acetate in the liquid phase by the carbonylation of methanol and/or the isomerization of methyl formate in the presence of water, a solvent, a homogeneous catalyst system comprising raidium and a halogen-containing promoter, and carbon monoxide, wherein said catalyst system also comprises platinum.

- The process as claimed in claim 1 which is a process for the carbonylation 2. of methanol wherein a carbon monoxide partial pressure of between 0.1.10⁵ Pa and 200.10⁵ Pa is maintained throughout the reaction.
- 3. The process as claimed in claim 1 which is a process for the isomerization of methyl formate wherein a carbon monoxide partial pressure of between 0.1.10⁵ Pa and 25.10⁵ Pa is maintained throughout the reaction.
- The process as claimed in claim 1 which comprises a methanol carbonylation reaction and a methyl formate isomerization reaction simultaneously and is carried out under a carbon monoxide partial pressure of between 0.1.10⁵ Pa and 25.10⁵ Pa throughout the reaction.
 - The process as claimed in one of claims 1 to 4 wherein the platinum is 5. introduced into said catalyst system in the form of platinum in the metallic state, a platinum salt or an oxide.
 - The process as claimed in one of claims to 4 wherein the platinum is introduced into the catalyst system in the form of a coordination complex, preferably a coordination complex of this metal with ligands selected from carbon monoxide, a carbon monoxide/halogen combination and organonitrogen and organophosphorus compounds.
 - 7. The process as claimed in claim 6 wherein said complex is $[PtI_2(CO)]_2$.
 - 8. The process as claimed in claim 5 wherein a platinum concentration of at least 4 mmol/l of reaction medium and an atomic ratio of iridium to platinum of between 2 and 5 are maintained.
 - The process as claimed in claim 6 or 7 wherein a platinum content of at least 1 mmol/l of reaction medium and an atomic ratio of iridium to platinum of between 1 and 5 are maintained.
 - 10. The process as claimed in one of claims 1 to 7 wherein said catalyst system also contains rhodium.
 - The process as claimed in claim 10 wherein the atomic ratio of rhodium to 11.

35

Cont Subs

10

20

`

iridium is between 0.01 and 99.

- 12. The process as claimed in claim 10 or 11 wherein the platinum is introduced into the catalyst system in the form of platinum in the metallic state, a platinum salt or a platinum oxide, and a platinum content of at least 4 mmol/l of reaction medium and an atomic ratio of (iridium + rhodium) to platinum of between 2 and 5 are maintained.
- 13. The process as claimed in claim 10 or 11 wherein the platinum is introduced in the form of a coordination complex as defined in one of claims 6 or 7, and a platinum content of at least 1 mmol/l of reaction medium and an atomic ratio of (iridium + rhodium) to platinum of between 1 and 5 are maintained.
- 14. The process as claimed in one of claims 1 to 13 wherein a concentration of iridium and, if appropriate, iridium and rhodium in the reaction medium of between 0.1 and 100 mmol/l, preferably of between 1 and 20 mmol/l, is used.
- 15. The process as claimed in one of claims 1 to 14 which is carried out in the presence of a water content less than or equal to 14% by weight, based on the total weight of the reaction medium, and preferably a content less than or equal to 10% by weight.
 - 16. The process as claimed in claim 15 wherein only the carbonylation of methanol is carried out and this is done in the presence of a water content of between 2 and 8% by weight of the reaction medium.
 - 17. The process as claimed in claim 15 which involves a methyl formate isomerization reaction and, if appropriate, a simultaneous methanol carbonylation reaction and this is carried out in the presence of a water content of less than 5% and preferably of less than 2% by weight of the reaction medium.
- 25 18. The process as claimed in one of claims 1 to 17 wherein said halogen-containing promoter can be the halogen by itself or can comprise hydrogen or a methyl or acetyl radical.
 - 19. The process as claimed in claim 18 wherein said halogen-containing promoter is methyl iodide.
 - 20. The process as claimed in one of-claims 1 to 19 which is carried out in the presence of a content of halogen-containing promoter less than or equal to 20% by weight, based on the total weight of the reaction mixture, and preferably less than 15%.
 - 21. The process as claimed in one of claims 1 to 20 which is carried out in the presence of an ester content of less than 40% by weight, based on the total weight

203/35

30



of the reaction mixture, and preferably of less than 30%.

- 22. The process as claimed in one of claims 1 to 21 wherein iodides are introduced into the reaction medium in proportions such that the atomic ratio of soluble iodides introduced into the reaction medium to iridium is kept below 10.
- 23. The process as claimed in any one of claims 1 to 22 which is carried out continuously.